

Step 1. Navigate to the BKON Resource Center at the following web address and enter the log in and password.

<http://bkon.franke.com>

Log In: ops

Password: opspass


Step 2. Once logged in, click on the software zip file on the right side of the page under “Trouble Shooting”. Click on “More” to see all files. Select “Software Files”. When the zip file downloads on the bottom left side of your screen, click the drop down arrow and select “Show in Folder”.




Select “More”

Select “Software Files”


Step 3. A zip file named “Software Files (only Config).zip” will appear in your “Downloads” folder. Double click on this file.




Step 4. When the zip file opens, copy the contents and paste it onto a blank thumb drive (that has no other files on it). When on the thumb drive, the files should appear exactly as shown below. If the entire Zip File (unzipped) is copied onto the drive or the files are removed from the “Tea Brew” folder, the upload will not work.




Step 1. With the Brewer Off, insert the thumb drive and follow the instructions below to download the new User Interface Software “V1.75”





Install new User Interface Software (BKON Off)

- 1


Insert
- 2



START
- 3


Select
- 4


Wait
 ca. 20 s
- 5



Remove
- 6

Select
- 7


Turn OFF
 Wait 20 Seconds
 Turn ON

- 8

Enter Time
 and Date



Step 2. When BKON restarts, follow the instructions below to download the mainboard firmware “BK430.fsw”





Install new Mainboard Firmware (BKON On)

- 1


Press & hold
 5 seconds
- 2


Enter
 Passcode
 4576
- 3



Insert
- 4

- 5

- 6


Select file

Main Board FW Selection
BK***.FSW


20%


 May take
 up to 6min
- 7







Remove

- 8

Turn OFF and
 proceed to next
 step


Step 3. When the BKON restarts, follow the instructions below to update the Menu file “CFG430.BBP”. This will not over ride your existing menu file.



Update new Menu (BKON On)

<p>1</p>  <p>insert</p>	<p>2</p> 	<p>3</p> 	<p>4</p> <p>Select file</p> <div style="border: 1px solid gray; padding: 2px; width: fit-content; margin: 0 auto;">CFG430.BBP</div>
<p>5</p>  <p>May take up to 30 sec.</p>	<p>6</p> <div style="border: 1px solid gray; padding: 5px; width: fit-content; margin: 0 auto;"> <p style="text-align: center; font-size: small;">Recipe File Loaded</p> <div style="border: 1px solid gray; padding: 2px; width: 40px; margin: 0 auto; text-align: center;">OK</div> </div>	<p>7</p> <p>Remove</p> 	<p>8</p> <p>Turn OFF Wait 20 Seconds Turn ON</p> 

Step 4. When the BKON restarts, press the “i” in the upper left corner of the screen to display the “Information” screen. Take a photo of this after the software installation. Email the photo to; mark.ashley@franke.com along with your store name and address.